



# Cockpit Options

2011



FLIGHT DESIGN

**CTLS / MC  
Advanced**




## Content

Dynon 100 / Dynon 120 / Garmin AERA 500/510	3
Dynon 100 / Dynon 120 / GPS Garmin 696 XM	4
Dynon SkyView	5
Dynon SkyView / GPS Garmin 696 XM	6
Dynon SkyView / GPS Garmin 696 XM / GNS 430W	7
Garmin G3X	8
Garmin G3X GNS 430W	9
Garmin G3X GNS 530W	10


Panel Equipment Option subject to Certification Basis. Please refer to price list or contact local Flight Design representative for detailed information.

# Dynon 100 / Dynon 120 / Garmin AERA 500 / 510 XM



1	PS Engineering PM 3000 intercom
2	Transponder Garmin GTX 327 Mode A/C
3	Radio Garmin SL40
4	Altimeter small (57mm), analog
5	Airspeed indicator small (57mm), analog
6	Autopilot FD Pilot 2 axis / 2 axis+VS (optional)
7	Dynon EFIS 100 Flight Information System
8	GPS Garmin AERA 500 / 510 XM
9	Hobbs hour counter
10	Dynon EMS 120 Engine Monitoring System
11	ELT 406 MHz

## Dynon 100 / Dynon 120 / Garmin 696 XM



1	PS Engineering PM 3000 intercom
2	Transponder Garmin GTX 328 Mode S (optional)
3	Radio Garmin SL40
4	Altimeter small (57mm), analog
5	Airspeed indicator small (57mm), analog
6	Autopilot FD Pilot 2 axis / 2 axis+VS (optional)
7	Dynon EFIS 100 Flight Information System
8	Garmin 695 / 696 XM (optional)
9	Hobbs hour counter
10	Dynon EMS 120 Engine Monitoring System
11	ELT 406 MHz

# Dynon SkyView



Center Panel Equipment Option – Depending on Certification Basis

1	PS Engineering PM 3000 intercom
2	Transponder Garmin GTX 330 Mode S
3	Radio Garmin SL40
4	Dynon SV XPNDR 261 – Class 1 Transponder (Depending on Certification Basis)
5	Dynon Autopilot – commanded directly by SkyView (optional)
6	Dynon Double Screens Dynon SkyView SV-D1000
7	ELT 406 MHz

# Dynon SkyView / GPS Garmin 696 XM



Center Panel Equipment Option – Depending on Certification Basis

1	PS Engineering PM 3000 intercom
2	Transponder Garmin GTX 330 Mode S
3	Radio Garmin SL40
4	Dynon SV XPNDR 261 – Class 1 Transponder (Depending on Certification Basis)
5	Dynon Autopilot – commanded directly by SkyView (optional)
6	Dynon Double Screens Dynon SkyView SV-D1000
7	GPS Garmin 695 / 696 XM (optional)
8	ELT 406 MHz

# Dynon SkyView / GPS Garmin 696XM / GNS 430W

Availability Depending on Certification Basis



1	Garmin GNS 430W Nav / Com / GPS / CDI display on SkyView through Dynon ARINC 429 (optional)
2	Dynon SV XPNDR 261 – Class 1 Transponder
3	Dynon Autopilot – commanded directly by SkyView (optional)
4	Dynon Double Screens Dynon SkyView SV-D1000
5	GPS Garmin 695 / 696 XM (optional)
6	ELT 406 MHz



1	PS Engineering PM 3000 intercom
2	Transponder Garmin GTX 330 Mode S
3	Radio Garmin SL40
4	Altimeter small (57mm), analog
5	Garmin Double Screens G3X PFD / MFD
6	Airspeed indicator small (57mm), analog
7	Trutrak ADI-instrument to display bank angle, pitch and direction (electronic directional gyro)
8	ELT 406 MHz

## Garmin G3X / GNS 430W



1	Transponder Garmin GTX 330 Mode S
2	Radio Garmin SL 30
3	Altimeter small (57mm), analog
4	Trutrak FD-Pilot II VSGV Autopilot (optional)
5	Garmin Double Screens G3X PFD / MFD
6	Airspeed indicator small (57mm), analog
7	Trutrak ADI-instrument to display bank angle, pitch and direction (electronic directional gyro)
8	Garmin GNS 430W Nav / Com / GPS (optional)
9	Garmin GMA 240 audio panel (optional)
10	ELT 406 MHz

## Garmin G3X / GNS 530W



1	Transponder Garmin GTX 330 Mode S
2	Radio Garmin SL 30
3	Altimeter small (57mm), analog
4	Trutrak FD-Pilot II VSGV Autopilot (optional)
5	Garmin Double Screens G3X PFD / MFD
6	Airspeed indicator small (57mm), analog
7	Trutrak ADI-instrument to display bank angle, pitch and direction (electronic directional gyro)
8	Garmin GNS 530W Nav / Com / GPS (optional)
9	Garmin GMA 240 audio panel (optional)
10	ELT 406 MHz



**FLIGHT DESIGN**

Flight Design USA  
P.O. Box 325  
South Woodstock,  
CT 06267  
USA

E-mail: [flightdesignusa@rcn.com](mailto:flightdesignusa@rcn.com)  
Web: [www.flightdesignusa.com](http://www.flightdesignusa.com)

**THE FUTURE OF FLIGHT**

EDITORIAL RESPONSIBILITY & DISCLAIMER  
Information given in Flight Design brochures or in other printing matter may be subject to alteration without notice. Care has been taken to ensure that the contents of this publication are accurate but Flight Design GmbH and its subsidiaries do not accept responsibility for errors or for information which is found to be misleading. Suggestions for or descriptions of the end use or application of products or methods of working are for information only and Flight Design GmbH and its subsidiaries accept no liability in respect thereof. Before using products supplied or manufactured by Flight Design GmbH or its subsidiaries, the customer should satisfy themselves of their suitability.

Edition: December 2010